

# Rabbit Pellets

## A complete, balanced diet

A nutritionally complete feed, both for breeding stock and young growing rabbits.

NRM Rabbit Pellets contain a coccidiostat for the prevention and control of intestinal coccidiosis.

## Feeding Recommendation

Suitable for all breeding and young rabbits prior to five days from slaughter or 12 weeks of age for fibre producers.

Always allow free access to fresh, clean water.

NOTE: At times rabbits can respond to a variety of stress factors by rapidly developing diarrhoea. If this occurs, provide a good fibre source such as extra hay/straw, plenty of fresh water and temporarily reduce pellet and other feed intake. Consult a veterinarian if condition persists.

## Feeding Rates

<b>All Young Rabbits</b>	Introduce gradually from 2 weeks feeding ad-lib.
<b>Meat Rabbits</b>	UNTIL 5 DAYS PRIOR TO SLAUGHTER.
<b>Angoras</b>	Until 12 weeks of age.
<b>Breeders</b>	Restrict to 100 - 120g/day after 8 weeks of age, or until maturity for Angoras.
<b>Pregnant Does</b>	Restrict to 150g/day. Good clean hay can be fed to prevent boredom.
<b>Lactating Does</b>	Ad-lib from last week of pregnancy until weaning.

## Ingredients

Selected from: Various plant proteins, grain and grain by-products, food by products, lucerne meal, minerals, vegetable oils, amino acids, vitamins and trace minerals, mould inhibitor, Cycostat 66® coccidiostat.

## Storage

Please ensure product is stored in a cool, dry and vermin free environment.

## Rabbit pellets with Cycostat 66® coccidiostat, ACVM registration number A001557

### FOR ANIMAL TREATMENT ONLY

Contains robenidine hydrochloride at 60g/tonne of feed (or 60 mg/kg of feed).

**Indications:** For use in the feeding of rabbits for the prevention and control of intestinal coccidiosis caused by eimeria spp.

## Key Benefits & Features

- Rapid growth for all rabbits.
- Stimulates fibre production.
- Contains a coccidiostat.
- Available in 10kg and 25kg bags.



## Caution

- Do not feed to any animal species other than those stipulated on the label.
- Do not feed to horses, dogs or any other animals not included on the label claim as toxicity may occur.
- Do not feed to birds laying eggs for human consumption.
- Do not mix with other coccidiostats.

**Contraindications:** Do not feed to horses, dogs or any other animals not included on the label claim as toxicity may occur. Do not feed to birds laying eggs for human consumption. Do not mix with other coccidiostats.

**Withholding Period - Meat:** Withdraw medicated feed five days before slaughter for human consumption.

**For more info:** 0800 800 380 [www.nrm.co.nz](http://www.nrm.co.nz)

## THE QUALITY OF NRM PRODUCTS IS GUARANTEED

We guarantee the quality of our NRM Feed and animal health products. If you have any queries please contact us.

## Typical Analysis

(approximate on an as fed basis)

<b>Moisture</b>	<b>12%</b>
<b>Crude Protein</b>	<b>18%</b>
<b>Crude Fibre</b>	<b>13%</b>